



EN: Base with sand-blasted cast-iron central base, stainless steel column and cover base.

IT: Basamento con base centrale in ghisa sabbiata, colonna e copribase in acciaio inox.

DE: Sockel mit Sockel aus sandgestrahltem Gusseisen, Säule und abdeckung aus Edelstahl.

FR: Base centrale en fonte sablée, colonne et couvre-socle de base en acier inoxydable.

ES: Base central de hierro fundido arenado, pie y cubrebase de acero inoxidable.

mm - in

• 4420

TOP MAX



Q.ty/pallet



mc 0,043
ft³ 1.52




kg 16
lb 35.3

WITHOUT
COVER BASE

• 4421

TOP MAX



Q.ty/pallet



mc 0,043
ft³ 1.98




kg 17.5
lb 38.6

WITH
COVER BASE

• 4423

TOP MAX



Q.ty/pallet



mc 0,027
ft³ 0.95



14 kg
lb 30.9




kg 15.5
lb 34.2

WITHOUT
COVER BASE

WITH
COVER BASE

• 4424

TOP MAX



Q.ty/pallet



mc 0,031
ft³ 1.09



kg --
lb --



kg 18.5
lb 40.8

WITHOUT
COVER BASE

WITH
COVER BASE

MATERIALS

Materiali
Materialien
Matériaux
Materiales• **BASE** - BASE - BODENPLATTE - BASE - BASE**EN: 400x400 mm, cast iron, sandblasted**

IT: 400x400 mm, ghisa, sabbiata

DE: 400x400 mm, Gusseisen, Sandgestrahlt

FR: 400x400 mm, fonte, sablée

ES: 400x400 mm, hierro fundido, arenada

• **COLUMN** - COLONNA - SÄULE - COLONNE - COLUMNNA**EN: Tube Ø76 mm, steel**

IT: Tubo Ø76 mm, acciaio

DE: Rohr Ø76 mm, Stahl

FR: Tube Ø76 mm, acier

ES: Tubo Ø76 mm, acero

EN: Only available for powder coating version

IT: Solo per la versione verniciata

EN: Tube Ø76 mm, stainless steel ASI 304

IT: Tubo Ø76 mm, acciaio inox ASI 304

DE: Rohr Ø76 mm, Rostfreier Stahl ASI 304

FR: Tube Ø76 mm, acier inoxydable ASI 304

ES: Tubo Ø76 mm, acero inoxidable ASI 304

EN: Only available for the /AC /LU

IT: Solo per la versione /AC /LU

EN: Tube Ø76 mm, stainless steel ASI 316

IT: Tubo Ø76 mm, acciaio inox ASI 316

DE: Rohr Ø76 mm, Rostfreier Stahl ASI 316

FR: Tube Ø76 mm, acier inoxydable ASI 316

ES: Tubo Ø76 mm, acero inoxidable ASI 316

EN: Only available for the 4421/AC 316 - 4423/AC 316

IT: Solo per la versione 4421/AC 316 - 4423/AC 316

• **COVER-BASE** - COPRIBASE - BODENPLATTEN-ABDECKUNG - COUVRE-SOCLE - CUBRE BASE**EN: Stainless steel AISI 304**

IT: Acciaio inox AISI 304

DE: Edelstahl AISI 304

FR: Acier inox AISI 304

ES: Acero inoxidable AISI 304

EN: Only available for the /AC /LU

IT: Solo per la versione /AC /LU

EN: Stainless steel ASI 316

IT: Acciaio inox ASI 316

DE: Rostfreier Stahl ASI 316

FR: Acier inoxydable ASI 316

ES: Acero inoxidable ASI 316

EN: Only available for the 4421/AC 316 - 4423/AC 316

IT: Solo per la versione 4421/AC 316 - 4423/AC 316

• **FINISH** - FINITURA - AUSFÜHRUNG - FINITION - ACABADO**EN: Powder coating**

IT: Verniciato con polvere


DE: Pulverbeschichtet

FR: Époxy à poudre

ES: Barnizado con polvo

EN: Only available for versions 4420 - 4423 - 4424

IT: Solo per le versioni 4420 - 4423 - 4424

**EN: For more information see finishing legend on the website**

IT: Per maggiori informazioni vedere legenda finiture sul sito web

	EN: Satinized IT: Satinato DE: Satiniert FR: Satiné ES: Satinado  AC EN: Polished IT: Lucidato DE: Poliert FR: Poli ES: Pulido  LU
CROSS Crociera Kreuz Croix Cruceta	code 4000 EN: 450x450 mm, cast iron, sandblasted, epoxy-polyester powder coating IT: 450x450 mm, ghisa, sabbiata, verniciata a polvere DE: 450x450 mm, Gusseisen, Sandgestrahlt, pulverbeschichtet FR: 450x450 mm, fonte, sablée, époxy à poudre ES: 450x450 mm, hierro fundido, arenada, barnizada en polvo EN: Only available for the 4420/4421/4424 IT: Solo per la versione 4420/4421/4424 code 4000NY  EN: 450x450 mm, nylon, fiberglass charged, grey IT: 450x450 mm, nylon, caricato fibra di vetro, grigio DE: 450x450 mm, nylon, mit Fiberglas verstärkt, grau FR: 450x450 mm, nylon, renforcé en fibre de verre, gris ES: 450x450 mm, nylon, cargado con fibra de vidrio, gris EN: Only available for the 4421/AC 316 IT: Solo per la versione 4421/AC 316 code 4001 EN: 225x225 mm, cast iron, sandblasted, epoxy-polyester powder coating IT: 225x225 mm, ghisa, sabbiata, verniciata a polvere DE: 225x225 mm, Gusseisen, Sandgestrahlt, pulverbeschichtet FR: 225x225 mm, fonte, sablée, époxy à poudre ES: 225x225 mm, hierro fundido, arenada, barnizada en polvo EN: Only available for the 4423 IT: Solo per la versione 4423
FEET Piedini Gleiter Patins Tacos	code 1001 EN: Fixed, 4xØ18 mm, technopolymer, black IT: Fissi, 4xØ18 mm, in tecnopolimero, nero DE: Standard Gleiter, 4xØ18 mm, Technopolymer, schwarz FR: Fixes, 4xØ18 mm, Technopolymère, noir ES: Tacos, 4xØ18 mm, Tecnopolimero, negro
ACCESSORIES Accessori Zubehörteile Accessoires Accesorios	code KIT/FELTRO.RETT.4 EN: kit n°4 adhesive felts for square-rectangular bases IT: Kit n° 4 feltrini adesivi per basi quadrate-rettangolari DE: Kit n° 4 Filzgleiter für rechteckigen-quadratische sockel FR: Kit n° 4 feutres adhésifs pour bases carrées-rectangulaires ES: Kit n° 4 topos de feltro para bases cuadradas-rectangulares

DESIGN
Pedrali R&D

REGULATIONS AND CERTIFICATES Normative e Certificazioni Bestimmungen und Zertifikat Normatives et certifications Normativas y certificados	• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL					
	MATERIAL Materiale	WEIGHT (Kg) Peso (Kg)	% TOTAL ITEM % totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% RECYCLED AT ORIGIN % riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE % riciclabile fine vita prodotto
	Steel Acciaio	2,5	15,5	YES	33,2	100
	Cast-iron Ghisa	13,6	84,5	YES	80	100
	Polyethylene Poietilene	0,005	0,03	YES	0	100
TOTAL TOTALE		16 Kg	--	--	72,7 %	100 %
EN: Percentages referred to 4420 IT: Percentuali riferite al 4420						
• PACKAGING RECYCLING - RICICLAGGIO IMBALLI - VERPACKUNGSRECYCLING - RECYCLAGE DES EMBALLAGES - RECICLAJE DE ENVASES						
EN: Pedrali uses 100% FSC recycled cardboard packaging and plastic bags with a minimum recycled content of 35%. IT: Pedrali utilizza imballi in cartone riciclato 100% FSC e scacchetti in plastica con %min riciclata del 35% DE: Pedrali verwendet Verpackungen aus 100 % FSC-zertifiziertem Recyclingkarton und Plastikbeutel mit einem Mindestanteil von 35 % recyceltem Material. FR: Pedrali utilise des emballages en carton recyclé 100 % FSC et des sachets plastiques contenant au minimum 35 % de matière recyclée. ES: Pedrali utiliza embalajes de cartón reciclado 100 % FSC y bolsas de plástico con un contenido mínimo del 35 % de material reciclado.						